

SAFETY DATA SHEET

WHEELSHINE: AUTO RIM CLEANER

1. IDENTIFICATION OF MATERIAL AND SUPPLIER

Product Name WHEELSHINE
Product Code C-005
Product Use Wheel and rim cleaner
Company Name Byre Chemicals
Address 3/43 Byre Avenue
 Somerton Park SA 5044
Telephone 08 8350 9228
Fax 08 8350 9334
Emergency phone no. 0412 426 697
Email info@byrechemicals.com.au

2. HAZARDS IDENTIFICATION

GHS Classification H302 Harmful if swallowed Category 4
 H314 Causes severe skin burns and eye damage Category 1A
 H335 May cause respiratory irritation Category 3
Signal Word DANGER
Hazard Statement Harmful if swallowed
 Causes burns and eye damage
Precautionary Statement
 Avoid contact with skin and eyes
 Wear eye protection and rubber gloves
 Avoid inhaling mists
 If swallowed DO NOT induce vomiting. Give water or milk. Seek immediate medical help.
 Splashes on skin to be washed off immediately
 If splashed into eyes, remove contact lenses if present and wash with clean running water for 15 minutes. Seek medical attention immediately.
 Keep containers tightly closed and store in a lock-up facility.

Pictograms



3. COMPOSITION /INFORMATION ON INGREDIENTS

INGREDIENTS	CAS.NO.	PROPORTION
Butyl glycol ether	111-76-2	5 - 10 %
Surfactant	blend	5 - 10 %
Non Hazardous Ingredients		1 - 5 %
Sodium hydroxide		5 - 10 %
Water		Balance

BYRE CHEMICALS

WHEELSHINE : AUTO RIM CLEANER

4. FIRST-AID MEASURES

INHALATION	<i>Avoid generating mists. Remove casualty from contaminated area</i>
INGESTION	<i>If swallowed Do Not induce vomiting. Give water or a glass of milk. If breathing has stopped, give artificial respiration. Transport to hospital.</i>
SKIN	<i>If skin contact occurs, remove contaminated clothing and wash skin thoroughly with soap and water. Wash clothing before re-use. If irritation persists, seek medical advice.</i>
EYE	<i>If in eyes, hold eyelids apart and flood the eye continuously with water for at least 10 minutes. Seek medical attention</i>
FIRST AID	<i>Eye wash. Safety shower , hand wash basin</i>
ADVICE TO DOCTOR	<i>Treat symptomatically</i>

5. FIREFIGHTING MEASURES

Extinguishing Media	<i>Carbon dioxide, or foam</i>
Hazards from Combustion	<i>Material won't burn but may emit carbon dioxide including carbon monoxide gas. Contact with some metals including aluminium and zinc will liberate flammable hydrogen gas</i>
Precaution for Firefighter	<i>Wear chemical suit. Prevent run off from entering drains and waterways.</i>
HAZCHEM CODE	<i>Not allocated</i>

6. ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURE

Spills are slippery.

Evacuate all unauthorised personnel. Do not breathe fumes or handle damaged containers

For small spills hose down area. For large spills absorb onto an inert material such as dirt or sand. The collected material should then be transferred into suitable containers , labelled and disposed of in an appropriate way.

Dispose of waste according to applicable local and national regulations

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Wear appropriate protective clothing

Avoid inhalation of vapours and mists and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use.

Prevent the build up of mists and vapours in the work atmosphere. Do not use near ignition sources, cut, heat containers as they may produce hazardous fumes. Maintain high standards of personal hygiene ie washing hands prior to eating, drinking, smoking or using toilet facilities

CONDITIONS FOR SAFE STORAGE

Hazardous liquid . Store in a cool, dry, well ventilated area away from sources of ignition, oxidising agents , strong acids, peroxides, foodstuffs and clothing. Large quantities should be stored in a bunded dangerous goods store. Prevent contact with aluminium, tin, zinc or galvanised iron .Store in original containers

WHEELSHINE : AUTO RIM CLEANER

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<i>Exposure Limits</i>	<i>Sodium hydroxide 2mgm/m³</i>
<i>Engineering Controls</i>	<i>This substance is hazardous</i>
<i>Eye Protection</i>	<i>Safety glasses with side shields should be used.</i>
<i>Hand Protection</i>	<i>Wear gloves of impervious material such as neoprene, or nitrile rubber.</i>
<i>Hygiene Measures</i>	<i>Avoid contact with skin, eyes and clothing Wash hands after handling product. Keep away from foodstuffs.</i>
<i>Skin & Body Protection</i>	<i>Wear rubber apron</i>

9. PHYSICAL AND CHEMICAL PROPERTIES

<i>Appearance</i>	<i>Pale brown foaming liquid</i>
<i>Odour</i>	<i>Slight solvent</i>
<i>pH</i>	<i>12.8 (1% solution)</i>
<i>Boiling Point</i>	<i>Above 100C</i>
<i>Vapour Pressure</i>	<i>Not Applicable</i>
<i>Flash Point</i>	<i>None</i>
<i>Specific Gravity</i>	<i>1.02</i>
<i>Solubility in Water</i>	<i>Miscible in all proportions.</i>

10. STABILITY AND REACTIVITY

<i>Chemical Stability</i>	<i>Stable under normal conditions of storage and handling</i>
<i>Conditions to avoid</i>	<i>Avoid contact with foodstuffs</i>
<i>Incompatible materials</i>	<i>Acids, strong oxidising agents.</i>
<i>Hazardous decomposition</i>	<i>Thermal decomposition may result in release of carbon dioxide and carbon monoxide</i>
<i>Hazardous polymerization</i>	<i>Will not occur</i>

11. TOXICOLOGICAL INFORMATION

<i>Acute toxicity</i>	<i>Butyl glycol ether Oral LD₅₀ (Rat) 140-340 mgm/kg Sodium Hydroxide Oral LD₅₀ (Rabbit) 400 mgm/kg</i>
<i>Ingestion</i>	<i>Harmful if swallowed. May cause burns to mouth and throat, nausea, vomiting, abdominal pain and diarrhoea. Can also cause swelling of the larynx and suffocation, perforation of stomach and intestines with constrictive scarring</i>
<i>Eyes</i>	<i>Corrosive. Causes burns which can result in permanent injury.</i>
<i>Skin</i>	<i>Causes severe irritation and if untreated burns</i>
<i>Carcinogenic</i>	<i>No evidence of carcinogenic properties</i>
<i>Chronic Effects</i>	<i>Repeated or prolonged skin contact may cause chronic dermatitis.</i>

12. ECOLOGICAL INFORMATION

<i>Ecotoxicity</i>	<i>No data available</i>
<i>Persistence/Degradability</i>	<i>Low</i>
<i>Mobility</i>	<i>Soluble in water</i>
<i>Bioaccumulative Potential</i>	<i>No data available</i>
<i>Environmental</i>	<i>Do not discharge into drains, sewers, waterways</i>

WHEELSHINE : AUTO RIM CLEANER

13. DISPOSAL CONSIDERATIONS

Spills & Disposal	Disposal of small spillages only. For large spillages liquids should be contained using sand or earth and both liquids and solids then transferred to salvage containers. Residues should be treated as for small spillages. CAUTION: Before dealing with spillage take necessary protective measures, inform others to keep at a safe distance and for flammable materials, shut off all possible sources of ignition.
Disposal	Land fill, sewer (small quantities). Refer to Land Waste Management Authority in your State

14. TRANSPORT INFORMATION

Transport Information	This material is classified as hazardous
Proper Shipping Name	CORROSIVE LIQUID N.O.S
UN.NO.	1760
Packaging Group	111
Hazchem Code	2R
DG Class	8

15. REGULATORY INFORMATION

Regulatory Information	Classified as hazardous according to criteria of NOHSC
	Poisons Schedule S5
Hazard Category	Irritant to skin
Risk Statement	Causes severe burns.
Safety Statement	Keep out of reach of children. In case of contact with eyes, rinse immediately with plenty of water and contact a doctor or Poisons Information Centre. Wear suitable gloves and eye/face protection. In case of accident or if unwell, contact a doctor or Poisons Information Centre immediately.

16. OTHER INFORMATION

Preparer Signature	Technical Director
Contact	Telephone: 08 8350 9228
	24 hour emergency number 0412 426 697

Every care is taken to ensure that the information printed hereon is true and accurate and that the contents are suitable for the purposes represented, but since the conditions of use are beyond the control of the manufacturers, they make no warranty, express or implied, and disclaim any liability in connection with the use of this product, whether used separately or in combination with any other substance.